



Personal Protective Equipment Regulation (EU) 2016/425

Certificate

Module B EU Type-Examination

Manufacturer

TBA Protective Technologies Ltd

Unit 3, Transpennine Trading Estate, Gorrells Way, Rochdale, OL11 2PX

Product Description:

Series of protective gloves based on Brontoguard Leather

Product Code:

TG2324; TG3992; TG4333; TG4758; TG4802; TG4894; TG4896; TG4920

Technical File Reference:

C03

Harmonised Standard(s):

EN 388:2016+A1:2018 (see page 2 for levels)

Technical Specification:

EN ISO 21420:2020; EN 407:2020 (see page 2 for levels)

Certificate Number: SH01464

Issued by: Shirley® (Notified Body No. 2895 for Regulation (EU) 2016/425)

First issue: 08 December 2023

Date of Issue: 12 February 2026

Expiry: 08 December 2028

Authorised by

J Lumb

Senior Certification Officer

The attached schedule of approval forms part of this certificate.

Note: The validity of this certificate can be confirmed by contacting the Issuing Office:
Shirley Technologies (Europe) Limited, Sky Business Centre, Port Tunnel Business Park, Office 13
Unit 21, Clonshaugh Business & Technology Park, Dublin 17, ROI

Tel: +353 (0) 01894 1448 **email:** info@shirley.ie **website:** www.shirley.ie





Schedule of Approval
Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	2 of 7
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029
Manufacturer:	TBA Protective Technologies Ltd		
Technical file ref:	C03		

Shirley®, specified as a "notified body" under the terms of the Regulation (EU) 2016/425 of the European Parliament and of the Council on personal protective equipment, did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the relevant provisions of Annex V (Module B) of the Regulation and with the applicable essential health and safety requirements, subject to any conditions in the schedule attached hereto.

The certificate relates specifically to the PPE items described and depicted in the manufacturer's Technical File, copies of which are held by the manufacturer and Shirley®, and not to any other items.

The certificate remains valid unless cancelled or revoked, provided the conditions in the attached schedule are complied with and the equipment remains satisfactory in service.

Description of product

Series of protective gloves based on Brontoguard Leather consisting of:

TG2324	Size 10; EN 388: 4 2 4 4 X; EN 407: 4 4 3 3 4 3
TG3992	Size 10; EN 388: 3 2 3 4 X; EN 407: X 2 X X X X
TG4333	Size 9.5; EN 388: 3 2 3 4 X; EN 407: 4 2 3 2 4 4
TG4758	Size 10; EN 388: 3 2 4 4 X; EN 407: 4 2 2 2 4 4
TG4802	Size 9; EN 388: 3 2 2 3 X; EN 407: 4 2 3 2 4 4
TG4894	Size 8; EN 388: 3 2 2 3 X; EN 407: 4 2 3 4 4 4
TG4896	Size 8; EN 388: 3 2 3 4 X; EN 407: 4 2 3 2 4 4
TG4920	Size 10; EN 388: 3 2 3 4 X; EN 407: 4 2 3 2 4 4

CONTINUED ON PAGE 3



Schedule of Approval
Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	3 of 8
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029
Manufacturer:	TBA Protective Technologies Ltd		
Technical file ref:	C03		

TG2324

Palm (4-layer):	Outer: 2 x Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Interlining: 100% Wool, 600 gsm, Grey; Lining: Flameshield 230, 100% Cotton, 230 gsm, Navy
Back of Hand (3-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Interlining: 100% Wool, 600 gsm, Grey; Lining: Flameshield 230, 100% Cotton, 230 gsm, Navy
Cuff (2-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Lining: Flameshield 230, 100% Cotton, 230 gsm, Navy

TG3992

Palm and Back of Hand (2-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Lining: 100% Wool, 600 gsm, Grey;
Cuff (1-layer):	Terrycloth, 100% Cotton, 650 gsm, Ecru

TG4333

Palm and Back of Hand (2-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Lining: 100% Wool, 600 gsm, Grey;
Cuff (2-layer):	Outer: Chrome Leather, 100% Leather, 1435 gsm, Pearl/Natural Lining: 100% Wool, 600 gsm, Grey;

TG4758

Palm (3-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Interlining: MM1, 100% Wool, 652 gsm, Navy Lining: 100% Wool, 600 gsm, Grey;
Back of Hand (2-layer):	Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown; Lining: 100% Wool, 600 gsm, Grey;
Cuff (1-layer):	Chrome Leather, 100% Leather, 1435 gsm, Pearl/Natural

CONTINUED ON PAGE 4



Schedule of Approval
Certificate Number: SH01464

First Issued: 08 December 2023
Issue date: 12 February 2026
Expiry date: 08 December 2028

Page No: 4 of 8
Issued by: Shirley® (Notified Body No. 2895)
Shirley® ref: SH-039029

Manufacturer: TBA Protective Technologies Ltd
Technical file ref: C03

TG4802

Palm and Back of Hand (2-layer): Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: Stibbe (Brushed Fleece), 90% Organic Combed Cotton / 10% Polyester, 335 gsm, Black;

Cuff (2-layer): Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: INY601, 42.5% Viscose / 22% Pre-oxidised Acrylic / 22% Aramid / 13.5% Polyester, 600 gsm, Pale Green

TG4894

Palm (2-layer): Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: Stibbe (Brushed Fleece), 90% Organic Combed Cotton / 10% Polyester, 335 gsm, Black;

Back of Hand (3-layer): Outer: APA475, Laminate formed from pre-oxidised acrylic, aramid, glass, adhesive system and metallised film, 475 gsm, Yellow and Black the inner side, aluminised the outer side;
Interlining: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: Stibbe (Brushed Fleece), 90% Organic Combed Cotton / 10% Polyester, 335 gsm, Black;

Cuff (1-layer): Chrome Leather, 100% Leather, 1435 gsm, Pearl/Natural

TG4896

Palm (2-layer): Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: 100% Wool, 600 gsm, Grey;

Back of Hand (3-layer): Outer: APA475, Laminate formed from pre-oxidised acrylic, aramid, glass, adhesive system and metallised film, 475 gsm, Yellow and Black the inner side, aluminised the outer side;
Interlining: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;
Lining: 100% Wool, 600 gsm, Grey;

Cuff (1-layer): Chrome Leather, 100% Leather, 1435 gsm, Pearl/Natural

CONTINUED ON PAGE 5



Schedule of Approval
Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	5 of 8
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029

Manufacturer: TBA Protective Technologies Ltd

Technical file ref: C03

TG4920

Palm and back of hand (2-layer assembly):

Outer: Brontoguard Leather, 100% Leather, 1097 gsm, Brown;

Lining: 100% Wool, 600 gsm, Grey;

Cuff (single layer): INY601 – 42.5% viscose, 22% pre-oxidised acrylic, 22% aramid, 13.5% polyester, 600 gsm, pale green

CONTINUED ON PAGE 6



Schedule of Approval
Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	6 of 8
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029
Manufacturer:	TBA Protective Technologies Ltd		
Technical file ref:	C03		

Manufacturers Technical Specification

The manufacturer's Technical Specification for protective clothing was based on EN ISO 21420:2020 "*Protective gloves. General requirements and test methods*" and EN 407:2020 "*Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)*". The suitability of this Technical Specification was checked with respect to the Essential Health and Safety Requirements of (EU) Regulation 2016/425, and was found to address the requirements for this end use.

Limitations of Use

- Usage, maintenance and storage as per manufacturer's instructions.

Observations

- TG3992 are regarded as Category II PPE, and as such does not require Module C2 or Module D approval. For this product, the CE mark consists of the letters 'CE', in the form given in Annex II of Regulation (EC) No 765/2008.

CONTINUED ON PAGE 7



Schedule of Approval
Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	7 of 8
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029
Manufacturer:	TBA Protective Technologies Ltd		
Technical file ref:	C03		

Approval Documents

- Glove test report No. E-024679/C; E-024687/D; E-024682/A; E-024672/B; E-024679/B; E-024687/A; E-024692/B; E-029528; E-024682/C; E-024672/C; E-024693/A; E-024694/B; E-023537/A; E-032205/A; E-032205/B; E-032205/C; E-032205/D; E-032205/E; E-032205/F; E-032287; E-024679/A; E-024692/A; E-024682/B; E-024672/A; E-024693/B; E-024694/A; E-023540/B; E-024687/C; E-023537/B1; E-040974; E-021722/C
- Innocuousness test report No. E-023537/C; E-023540/C; E-024679/B; E-023826/C; E-024687/B; E-023828/D; E-024672/C; E-021722/B; E-023527/C; E-021722/B; E-048385
- Innocuousness information – OEKO-TEX® Certificate No. 16442

CONTINUED ON PAGE 8



Schedule of Approval Certificate Number: SH01464

First Issued:	08 December 2023	Page No:	8 of 8
Issue date:	12 February 2026	Issued by:	Shirley® (Notified Body No. 2895)
Expiry date:	08 December 2028	Shirley® ref:	SH-039029

Manufacturer: TBA Protective Technologies Ltd
Technical file ref: C03

Terms and Conditions associated with the issue of this EU Type-Examination Certificate

1. This certificate is issued subject to Shirley®'s standard terms of business, available from our website.
2. Production is limited to the site(s) listed in the manufacturer's Technical File, copies of which are held by the manufacturer and Shirley®, and not to any other production site(s).
3. The client must implement appropriate changes as notified by Shirley®.
4. The client must ensure the certified product is representative of the ongoing manufactured product.
5. The client must make provision for access to relevant documents and records.
6. The client must investigate complaints associated with the certified products. Records of such complaints, and actions taken, must be kept by the client and made available to Shirley® when requested.
7. The client must only make claims consistent with the scope of certification,
8. The client must not make any misleading or unauthorised comments regarding the certified product or the certification body.
9. The client must upon suspension, withdrawal, or termination of certification discontinue the use of all advertising matter that contains any reference thereto and take action to return this certificate to Shirley®.
10. The client must comply with the requirements for the use of the notified body number as detailed below.
11. Any change to the product or quality manual / quality plan shall be immediately notified to Shirley®.
12. This certificate is issued in the English language only. It is the responsibility of the Manufacturer / Authorised Representative to obtain and supply language versions acceptable to the country where the product is to be sold. This certificate remains the property of Shirley® and will be withdrawn if any of the conditions attached to its issue are not complied with.
13. The EC mark consists of the letters 'CE', in the form given in Annex II of Regulation (EC) No 765/2008 and for category III PPE, followed by the number of the notified body involved in production control monitoring (Module C2 or D).
14. This certificate does not authorise the use of the Mark of Conformity (the 'CE mark'), which may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when Module C2 or D of the Regulation is fully complied with and controlled by a written agreement with a notified body.

Use of Notified Body Number

1. The Notified Body Number must only be used
 - a. In direct association with products or systems covered by this Type-Examination Certificate.
 - b. by holder(s) of the Certificate.
2. Use of Shirley® Notified Body Number does not extend to other companies which are:
 - a. part of the same corporate group as the Certificate holding company; or
 - b. named in a Certificate, for example as a supplier.
3. Particular care must always be taken to avoid the association of the Shirley® Notified Body Number with other products or systems or schemes and with claims or information not contained in the Shirley® document.

If any of the above requirements are not met Shirley® will seek to suspend, withdraw or terminate this certificate.

END OF SCHEDULE